PATENT COOPERATION TREATY

PCT

			The second of the second of	
REC'D	0	1	NUL	2006
MIPO				PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference P4645.PC/PDW	FOR FURTHER AC	CTION	See Form PCT/IPEA/416					
International application No. PCT/GB2005/000610	International filing date (day/month/year)	Priority date (day/month/year) 19.02.2004					
International Patent Classification (IPC) or national classification and IPC INV. G06F9/445 G06F9/44								
Applicant QUALCOMM CAMBRIDGE LIMITED et al.								
This report is the international pre Authority under Article 35 and train	 This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36. 							
2. This REPORT consists of a total	of 6 sheets, including th	nis cover sheet.						
3. This report is also accompanied b	y ANNEXES, comprisir	ıg:						
a. 🛛 sent to the applicant and to	o the International Bure	au) a total of 4 sheets,	as follows:					
and/or sheets containi	577							
sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.								
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), containing a sequence listing and/or tables related thereto, in electronic form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).								
4. This report contains indications re	elating to the following it	ems:						
☐ Box No. I Basis of the rep	ort							
☐ Box No. II Priority								
<u> </u>	ent of opinion with rega	rd to novelty, inventive s	step and industrial applicability					
☐ Box No. IV Lack of unity of	•	•	,					
☐ Box No. V Reasoned state applicability; cit	ement under Article 35(2 ations and explanations) with regard to novelty, supporting such statem	, inventive step or industrial nent					
☐ Box No. VI Certain docume	ents cited							
☐ Box No. VII Certain defects	in the international app	lication						
☐ Box No. VIII Certain observa	ations on the internation	al application						
Date of submission of the demand		Date of completion of this	s report					
02.02.2006		30.05.2006						
Name and mailing address of the internation	nal	Authorized officer	nus Patento.					
preliminary examining authority: European Patent Office - P.B NL-2280 HV Rijswijk - Pays E	Bas	Carciofi, A	Per unwant					
Tel. +31 70 340 - 2040 Tx: 31 Fax: +31 70 340 - 3016	651 epo ni	Telephone No. +31 70 34	40-3695					

(X

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/GB2005/000610

	Box N	o. I	Basis of the repo	rt				
1.	With re	egarc	I to the language, t	his report is based on				
	⊠ th	e inte	ernational application	n in the language in which it was filed				
	of □ □	 □ a translation of the international application into , which is the language of a translation furnished for the purposes of: □ international search (under Rules 12.3(a) and 23.1(b)) □ publication of the international application (under Rule 12.4(a)) □ international preliminary examination (under Rules 55.2(a) and/or 55.3(a)) 						
2.	. With regard to the elements* of the international application, this report is based on <i>(replacement sheets whith have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):</i>							
	Descri	iption	ı, Pages					
	1-25			as originally filed				
	Claims	s, Nui	mbers					
1-15				as amended (together with any statement) under Art. 19 PCT				
	Drawin	ngs, S	Sheets					
	1/5-5/5			as originally filed				
	□ а	. sequ	uence listing and/or	any related table(s) - see Supplemental Box Relating to Sequence Listing				
3.		the the the the	description, pages claims, Nos. drawings, sheets/ sequence listing (
4.	had n Suppl [[ot be lemed the the the the	en made, since the ntal Box (Rule 70.2 description, pages e claims, Nos. drawings, sheets/fe sequence listing (igs				
	* I	f it	em 4 applies.	some or all of these sheets may be marked "superseded."				

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/GB2005/000610

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-15

No: Claims

Inventive step (IS)

Yes: Claims

No: Claims

1-15

Industrial applicability (IA)

Yes: Claims

1-15

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

- 1. Reference is made to the following document:
 - D1: BAILEY E C: "Maximum RPM Taking the Red Hat Package Manager to the Limit" RPM DOCUMENTATION, June 1998 (1998-06), pages 3-13, 16-18, 33, 52, 200, 237-239, XP002351753
- 2. The present application does not meet the criteria of Article 33(1) PCT, because the subject-matter of claim 1 is not inventive in the sense of Article 33(3) PCT.
- 2.1. Document D1 is regarded as being the closest prior art to the subject-matter of claim 1 and it discloses the following features thereof (within parentheses are the passages applying to this document and the terminology used therein).

A method of provisioning a program to a device (package management), the method comprising the steps of

- a) creating a container (package), the container comprising:
 - executable code for a program (program files); one or more content resources for use in the program (data files) and metadata relating to the or each content resource (documentation, configuration information, files' permissions), the executable code, the or each content resource and the metadata being stored as serialised objects within the container (page 4, line 32 page 5, line 10; page 12, line 5 page 13, last line);
- b) transmitting the container to one or more devices (obtaining the package from a remote site)(page 18, lines 9-14);
- c) extracting the contents of the container at the or each device (installing the package)(page 16, lines 4-12).
- 2.2. The subject-matter of claim 1 therefore differs from this method known from document D1 in that in the claimed method:

- the device is a *mobile* device, whereas in document D1 it is a generic computing device;
- a user interface is provisioned and the container comprises executable code for a user interface, whereas in document D1 it is for a generic program;

the following step is moreover defined

- d) executing the code to generate a user interface for the mobile device.
- 2.3. As to the first differing feature (i.e. mobile device), its presence cannot be considered as involving an inventive step, a mobile device being regarded as merely one of the equally likely possible target platforms (i.e. fixed or mobile computing devices) which would be selected by the skilled person and which he would apply to the method disclosed in D1.

As to the second differing feature (i.e. user interface), although document D1 does not explicitly address the management of packages specific for user interfaces, it is clear that selecting, as the program contained in the package, one which would generate a user interface, is merely one of the equally likely possibilities from which the skilled person would select, without exercising any inventive activity, and which he would apply to the method disclosed in D1; moreover, document D1 suggests that the content of a package could be the product XFree86 (page 52, lines 9-10), a well known implementation of the X Window System, which includes a graphical user interface.

As to the third differing feature (i.e. executing the code), it is regarded as being a logical consequence to the installation and its presence, therefore, obvious to the skilled person.

The skilled person would therefore find obvious to apply the above mentioned features to the teaching of claim 1, thus arriving at a method as claimed.

2.4. The subject-matter of claim 1, therefore, does not involve an inventive step (Art. 33(3) PCT).

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/GB2005/000610

The subject-matter of claims 6, 8, 9, 12 and 13 does also not involve an inventive step (Art. 33(3) PCT), given the ample similarity of the subject-matter of said claims with that of claim 1.

2.5. As to dependent claims 2-5, 7, 10-11 and 14-15, their subject-matter is also regarded as being not inventive (Art. 33(3) PCT), the additional features defined therein being either already disclosed in document D1 or their presence being obvious to the skilled person (see also the citations in the International Search Report).

- 26 -



CLAIMS

- A method of provisioning a user interface to a mobile
 device, the method comprising the steps of
 - a) creating a container, the container comprising: executable code for a user interface; one or more content resources for use in the user interface; and metadata relating to the or each content resource, the executable code, the or each content resource and the metadata being stored as serialised objects within the container;
 - b) transmitting the container to one or more mobile devices;
- c) extracting the contents of the container at the or 15 each mobile device; and
 - d) executing the code to generate a user interface for the mobile device.
- 2. A method according to claim 1, wherein the metadata 20 comprise data determining access to the executable code and/or the or each content resource to prevent unauthorised access to the executable code and/or the or each content resource during step (a).
- 25 3. A method according to claim 1 or claim 2, wherein if during step a) the executable code and/or a content resource is altered, the metadata is updated accordingly.
- 4. A method according to any preceding claim wherein, the 30 metadata relating to the or each content resources relates to one or more hierarchical classifications, the hierarchical

25

30

classification(s) relating to the capabilities of a mobile device.

- 5. A method according to any preceding claim, further5 comprising the step of
 - e) processing the container contents into a format for transmission to a mobile device, step e) being performed subsequent to step a) and prior to step b).
- 10 6. A server for provisioning a user interface to one or more mobile devices, the server comprising:

storage means to receive a data container;

editing means to enable the data container to be edited, in use the data container comprising executable code for a user interface; one or more content resources for use in the user interface; and metadata relating to the or each content resource, the executable code, the or each content resource and the metadata being stored as serialised objects within the data container; and

20 transmission means for transmitting a data container to one or more devices.

- 7. A server according to claim 6, wherein the server further comprises a processing means configure, in use, to process a data container prior to transmission of a data container to one or more mobile devices.
 - 8. A data carrier comprising computer executable code for performing the method of any of claims 1 to 5.
 - 9. A method of installing a user interface in a device, the method comprising the steps of:

25

- a) receiving at a mobile device a container over a communications network, the container comprising: executable code for a user interface; one or more content resources for use in the user interface; and metadata relating to the or each content resource, the executable code, the or each content resource and the metadata being stored as serialised objects within the container;
- b) extracting the contents of the container at the mobile device; and
- 10 c) executing the code to generate a user interface for the device.
- 10. A method according to claim 9, wherein the metadata comprises data determining access to the executable code and/or the or each content resource to control access to the executable code and/or the or each content resource during step (b).
- 11. A method according to claim 10, wherein the access20 determining metadata can be updated in response to receiving a control message from the communications network.
 - 12. A data carrier comprising computer executable code for performing the method of any of claims 9 to 11.
 - 13. A mobile device comprising a display, a user interface, storage means, processing means and a communication interface, the mobile device being configured, in use, to
- receive a data container from a communications network 30 via the communications interface;

store the data container in the storage means;

process the data container using the processing means to extract the contents of the data container, the data container comprising executable code for a user interface; one or more content resources for use in the user interface; and metadata relating to the or each content resource, the executable code, the or each content resource and the metadata being stored as serialised objects within the data container;

form a user interface in accordance with the extracted 10 contents of the data container; and

display the user interface in the device display.

- 14. A mobile device according to claim 13, wherein the metadata stored in the storage means comprises data determining access to the executable code and/or the or each content resource to control access to the executable code and/or the or each content resource.
- 15. A mobile device according to claim 14, wherein the device is further configure, in use, to receive control commands from the communications network via the communications interface, the control commands updating the metadata that determines access to the code and/or content resource(s).